
THE HIGHWAY TRAFFIC ACT
(C.C.S.M. c. H60)

Traffic Control Devices Order, amendment

Regulation 168/2017
Registered December 21, 2017

Manitoba Regulation 264/88 amended

1 The *Traffic Control Devices Order*, Manitoba Regulation 264/88, is amended by this regulation.


2 The following is added after section 65.27 of the Schedule:

Fire Ban In Effect sign (MR-182 and MR-182F)

65.28(1) A "Fire Ban In Effect" sign must be used to make it known that there is a fire ban in effect.

65.28(2) A "Fire Ban In Effect" sign must

- (a) be rectangular in shape and erected so that the long dimension is vertical;
- (b) be not less than 450 mm in width and not less than 600 mm in height;
- (c) be
 - (i) in the upper portion, white in colour and display in black a design consisting of a fire within an annular red ring not less than 380 mm in diameter and with a diagonal red bar across it;
 - (ii) in the lower portion, red in colour and display the words "Fire Ban In Effect" in white uppercase letters not less than 47 mm in height;
- (d) be reflectorized to show the same colour and shape by night as by day; and
- (e) bear the markings and have the dimensions illustrated in either of the following illustrations.




Municipality sign tab (MR-182MT)

65.29(1) A "Municipality" sign tab must be used directly below sign MR-182 or MR-182F to make it known that there is a fire ban in effect in a specific municipality.

65.29(2) A "Municipality" sign tab must

- (a) be rectangular in shape and erected so that the long dimension is horizontal;
- (b) be not less than 450 mm in width and not less than 225 mm in height;
- (c) be white in colour and display the name of the Municipality in black uppercase and lowercase letters not less than 47 mm in height;
- (d) be reflectorized to show the same colour and shape by night as by day; and
- (e) bear the markings and have the dimensions illustrated the following illustration.




MR-182MT

"Interdiction D'Allumer des Feux en Vigueur" sign tab (MR-182TF)

65.30(1) An "Interdiction D'Allumer des Feux en Vigueur" sign tab must be used directly below MR-182 to make it known that there is a fire ban in effect.

65.30(2) An "Interdiction D'Allumer des Feux en Vigueur" sign tab must

- (a) be rectangular in shape and erected so that the long dimension is horizontal;
- (b) be not less than 450 mm in width and not less than 250 mm in height;
- (c) be red in colour and display the words "Interdiction D'Allumer des Feux en Vigueur" in white uppercase letters not less than 47 mm in height;
- (d) be reflectorized to show the same colour and shape by night as by day; and
- (e) bear the markings and have the dimensions illustrated the following illustration.



MR-182TF

December 19, 2017

The Highway Traffic Board:

Roland Lavalée
Chairperson